#### IN THE CLAIMS:

Please amend Claims 1-4, 7-9, 14-17 and 21-23 as shown below.

 (Currently amended) A method of diagnosing network protocol errors using an <u>eXtensible Markup Language</u> (XML) document comprising the steps of:

capturing data packets exchanged over a network communications line;

generating an XML document using the captured data packets, the XML document being malformed if there is at least one network protocol error and well-formed otherwise; and

diagnosing the network protocol errors using the XML document.

- (Currently amended) The method of Claim 1 wherein the step of diagnosing includes includes the step of using an XML-based analysis mechanism.
- (Currently amended) The method of Claim 1 wherein the step of diagnosing includes includes the step of using semantic analysis.
- 4. (Currently amended) The method of Claim 1 wherein the step of diagnosing including includes the step of passing the XML document through a parser.

## AUS920010869US1

## Page 4 of 14

- 5. (Original) The method of Claim 4 wherein the data packets are captured through a topdump.
- 6. (Original) The method of Claim 5 wherein the data packets are captured through a sniffer.
- 7. (Currently amended) The method of Claim 6 wherein the step of diagnosing includes includes the step of visually inspecting the XML document.
- 8. (Currently amended) A computer program product on a computer readable media for diagnosing network protocol errors using an <a href="eXtensible Markup Language">eXtensible Markup Language</a>
  (XML) document comprising:

code means for capturing data packets exchanged over a network communications line;

code means for generating an XML document using the captured data packets, the XML document being malformed if there is at least one network protocol error and well-formed otherwise; and

code means for diagnosing the network protocol errors using the XML document.

9. (Currently amended) The computer program product of Claim 8 wherein the code means for diagnosing includes code means for using an XML-based analysis mechanism.

## AUS920010869US1

Page 5 of 14



10. (Original) The computer program product of Claim 8 wherein the code means for diagnosing includes code means for using semantic analysis.



- 11. (Original) The computer program product of Claim 8 wherein the diagnosing code means includes code means for parsing the XML document through a parser.
- 12. (Original) The computer program product of Claim 11 wherein the data packets are captured through a tcpdump.
- 13. (Original) The computer program product of Claim 12 wherein the data packets are captured through a sniffer.
- 14. (Currently amended) The computer program product of Claim 13 wherein the step of diagnosing including includes the step of visually inspecting the XML document.
- 15. (Currently amended) An apparatus for diagnosing network protocol errors using an <a href="eXtensible Markup">eXtensible Markup</a> Language (XML) document comprising:

means for capturing data packets exchanged over a network communications line;

#### AUS920010869US1

## Page 6 of 14

means for generating an XML document using the captured data packets, the XML document being malformed if there is at least one network protocol error and well-formed otherwise; and



means for diagnosing the network protocol errors using the XML document.

- 16. (Currently amended) The apparatus of Claim 15 wherein the means for diagnosing includes means for using an XML-based analysis mechanism.
- 17. (Currently amended) The apparatus of Claim 15 the means for diagnosing <a href="mailto:the-leading-includes">the-leading-includes</a> means for using semantic analysis.
- 18. (Original) The apparatus of Claim 15 wherein the diagnosing means includes means for passing the XML document through a parser.
- 19. (Original) The apparatus of Claim 19 wherein the data packets are captured through a topdump.
- 20. (Original) The apparatus of Claim 19 wherein the data packets are captured through a sniffer.
- 21. (Currently amended) The apparatus of Claim 20 wherein the means for diagnosing includes means for visually inspecting the XML document.

#### AUS920010869US1

## Page 7 of 14

22. (Currently amended) A computer system for diagnosing network protocol errors using an <u>extensible Markup</u> Language (XML) document comprising:

at least one memory device for storing code data; and

- at least one processor for processing the code data to capture data packets exchanged over a network communications line, to generate an XML document using the captured data packets, the XML document being malformed if there is at least one network protocol error and well-formed otherwise, and to diagnose the network protocol errors using the XML document.
- 23. (Currently amended) The computer system of Claim 22 wherein the processor further processes the code data to use an XML-based analysis mechanism.
- 24. (Original) The computer system of Claim 22 wherein the processor further processes the code data to use semantic analysis.
- 25. (Original) The computer system of Claim 22 wherein diagnosing the network protocol errors includes passing the XML document through a parser.
- 26. (Original) The computer system of Claim 25 wherein the data packets are captured through a topdump.

# AUS920010869US1

## Page 8 of 14



- 27. (Original) The computer system of Claim 26 wherein the data packets are captured through a sniffer.
- 28. (Original) The computer system of Claim 27 wherein diagnosing the network protocol errors includes visually inspecting the XML document.

AUS920010869US1